

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 21.10.2020

Version number 157.1

Revision: 21.10.2020

---

Hazardous according to criteria of Australian Safety and Compensation Council

---

**\* SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name:** **CARLACK Leather Care**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Maintenance product
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Max Lehner AG  
Stallikonerstr. 71  
CH-8903 Birmensdorf (ZH)  
Tel.: +41/44 737 30 75 Fax: +41/44 737 03 20  
Imported by:  
Carlack Products Australia  
P. O. Box 44  
Penshurst NSW  
Australia 2222  
Within Australia - 0410 992 535  
International - + 61 4 1099 2535  
Email: carlack@carlackproducts.com.au
- **Information department:** Product safety department.
- **1.4 Emergency telephone number:**  
Poisons Information - Australia  
13 11 26 (24 hours)

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

Skin Sens. 1      H317 May cause an allergic skin reaction.

H227 Combustible liquid.

Aquatic Chronic 3      H412 Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS07
- **Signal word** Warning
- **Hazard-determining components of labelling:**  
Benzyl salicylate
- **Hazard statements**  
H227 Combustible liquid.  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
P261      Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280      Wear protective gloves / eye protection / face protection.  
P280      Wear protective gloves.  
P273      Avoid release to the environment.  
P272      Contaminated work clothing should not be allowed out of the workplace.

(Contd. on page 2)

— AU —

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 21.10.2020

Version number 157.1

Revision: 21.10.2020

**Trade name: CARLACK Leather Care**

(Contd. of page 1)

P321 Specific treatment (see on this label).

P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

P302+P352 IF ON SKIN: Wash with plenty of water.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**· **Results of PBT and vPvB assessment** Not applicable.· **PBT:** Not applicable.· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

**3.2 Chemical characterisation: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 64742-48-9 EINECS: 265-150-3	Naphtha (petroleum), hydrotreated heavy ⚠ Asp. Tox. 1, H304; H227
CAS: 26635-93-8	Polyoxyethylene Oleylamine Ether ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410
CAS: 118-58-1	Benzyl salicylate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317

· **Additional information** For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**· **After inhalation** Supply fresh air; consult doctor in case of complaints.· **After skin contact** Generally the product does not irritate the skin.· **After eye contact** Rinse opened eye for several minutes under running water.· **After swallowing** A person vomiting while lying on their back should be turned onto their side.**4.2 Most important symptoms and effects, both acute and delayed**

Headache

Disziness

**4.3 Indication of any immediate medical attention and special treatment needed**

In cases of irritation to the lungs, initial treatment with Dexamethason metered aerosol.

If swallowed, gastric irrigation with added, activated carbon.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media****Suitable extinguishing agents**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**5.2 Special hazards arising from the substance or mixture** No further relevant information available.**5.3 Advice for firefighters**· **Protective equipment:** Wear self-contained respiratory protective device.· **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 21.10.2020

Version number 157.1

Revision: 21.10.2020

**Trade name: CARLACK Leather Care**

(Contd. of page 2)

- **6.2 Environmental precautions:**  
*Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.*
- **6.3 Methods and material for containment and cleaning up:**  
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*
- **6.4 Reference to other sections**  
*See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.*

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** *No special precautions are necessary if used correctly.*
- **Information about protection against explosions and fires:** *No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** *Provide solvent resistant, sealed floor.*
- **Information about storage in one common storage facility:** *Store away from oxidising agents.*
- **Further information about storage conditions:** *None.*
- **7.3 Specific end use(s)** *No further relevant information available.*

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** *No further data; see item 7.*
- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
*The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*
- **Additional information:** *The lists that were valid during the creation were used as basis.*
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** *Wash hands before breaks and at the end of work.*
- **Breathing equipment:** *Not required.*
- **Protection of hands:**  
*Protective gloves and protective skin cream.  
Solvent resistant gloves  
Only use chemical-protective gloves with CE-labelling of category III.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*
- **Material of gloves**  
*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  
PVA gloves*
- **Penetration time of glove material**  
*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.  
The determined penetration times according to EN 374 part III are not performed under practical conditions.  
Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.*
- **Eye protection:** *Goggles recommended during refilling.*

— AU —

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 21.10.2020

Version number 157.1

Revision: 21.10.2020

Trade name: CARLACK Leather Care

(Contd. of page 3)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form: Viscous

Colour: White

· Odour: Characteristic

· Odour threshold: Not determined.

· pH-value: Not applicable

##### · Change in condition

Melting point/Melting range: undetermined

Boiling point/Boiling range: 100 °C (212 °F)

· Flash point: 62 °C (144 °F)

· Flammability (solid, gaseous) Not applicable.

· Ignition temperature: 240 °C (464 °F)

· Decomposition temperature: Not determined.

· Self igniting: Not determined.

· Danger of explosion: Not determined.

##### · Explosion limits:

Lower: 0.6 Vol %

Upper: 7.0 Vol %

· Vapour pressure at 20 °C (68 °F): 23 hPa (17 mm Hg)

· Density at 20 °C (68 °F): 0.913 g/cm<sup>3</sup> (7.619 lbs/gal)

· Relative density Not determined.

· Vapour density Not determined.

· Evaporation rate Not determined.

##### · Solubility in / Miscibility with

Water: Not miscible or difficult to mix

· Partition coefficient (n-octanol/water): Not determined.

##### · Viscosity:

dynamic at 20 °C (68 °F): 1900 mPas

kinematic: Not determined.

Organic solvents: 19.9 %

VOC (EC) 181.9 g/l

Solids content: 0.6 %

· 9.2 Other information No further relevant information available.

### SECTION 10: Stability and reactivity

#### · 10.1 Reactivity

#### · 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Reacts with strong oxidizing agents

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

— AU —

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 21.10.2020

Version number 157.1

Revision: 21.10.2020

Trade name: **CARLACK Leather Care**

(Contd. of page 4)

### SECTION 11: Toxicological information

· **11.1 Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**64742-48-9 Naphtha (petroleum), hydrotreated heavy**

Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rat)
Inhalative	LC50/4 h	>4951 mg/l (rat)

**26635-93-8 Polyoxyethylene Oleylamine Ether**

Oral	LD50	>2000 mg/kg (rat)
------	------	-------------------

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** No irritating effect.

· **Sensitisation:** No sensitising effects known.

### SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

The product contains materials that are harmful to the environment.

Harmful to aquatic organisms

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.


· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

12 00 00	WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS
12 01 00	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 14*	machining sludges containing dangerous substances
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 06 00	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 21.10.2020

Version number 157.1

Revision: 21.10.2020

**Trade name: CARLACK Leather Care**

(Contd. of page 5)

07 06 99 wastes not otherwise specified

- **Uncleaned packagings:**
- **Recommendation:** Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

### SECTION 14: Transport information

- |   |                 |
|---|-----------------|
| · <b>14.1 UN-Number</b>   |                 |
| · <b>ADG, ADN, IMDG, IATA</b>   | Void            |
| · <b>14.2 UN proper shipping name</b>   |                 |
| · <b>ADG, ADN, IMDG, IATA</b>   | Void            |
| · <b>14.3 Transport hazard class(es)</b>  |                 |
| · <b>ADG, ADN, IMDG, IATA</b>   |                 |
| · <b>Class</b>  | Void            |
| · <b>14.4 Packing group</b>   |                 |
| · <b>ADG, IMDG, IATA</b>  | Void            |
| · <b>14.5 Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>  | No              |
| · <b>14.6 Special precautions for user</b>  | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>   | -               |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Australian Inventory of Chemical Substances**

64742-48-9	Naphtha (petroleum), hydrotreated heavy
68476-03-9	Montansäuren-Wachs C24-C34
112-80-1	oleic acid, pure
26635-93-8	Polyoxyethylene Oleylamine Ether
	Fettalkohol C6-C12
1338-43-8	Sorbitan-mono-oleat
	1-Amino-2-propanol
118-58-1	Benzyl salicylate
7487-88-9	magnesium sulphate
78-70-6	Linalool
87-20-7	Isoamylsalicylat
31906-04-4	Hydroxy-methylpentylcyclohexenecarboxaldehyde
5989-27-5	(R)-p-mentha-1,8-diene
32388-55-9	Methyl cedryl ketone
107-75-5	Hydroxy-citronellal

- **Standard for the Uniform Scheduling of Medicines and Poisons**

7487-88-9	magnesium sulphate	S3
91-64-5	Coumarin	S4

- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.

(Contd. on page 7)

— AU —

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 21.10.2020

Version number 157.1

Revision: 21.10.2020

**Trade name: CARLACK Leather Care**

(Contd. of page 6)

- **Hazard pictograms** GHS07
- **Signal word** Warning
- **Hazard-determining components of labelling:**  
Benzyl salicylate
- **Hazard statements**  
H227 Combustible liquid.  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves / eye protection / face protection.  
P280 Wear protective gloves.  
P273 Avoid release to the environment.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P321 Specific treatment (see on this label).  
P363 Wash contaminated clothing before reuse.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P370+P378 In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Technical instructions (air):**

Class	Share in %
NK	<25

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Text of risk phrases associated with ingredients in section 3**  
H227 Combustible liquid.  
H304 May be fatal if swallowed and enters airways.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.
- **Department issuing MSDS:** Environment protection department.
- **Contact:**  
Chem. Laboratorium  
Frau Anja Steinmetz
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 21.10.2020

Version number 157.1

Revision: 21.10.2020

---

**Trade name: CARLACK Leather Care**

---

(Contd. of page 7)

*VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**: Flammable liquids, Hazard Category 4**Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B**Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2**Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1**Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A**Skin Sens. 1: Sensitisation - Skin, Hazard Category 1**Asp. Tox. 1: Aspiration hazard, Hazard Category 1**Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1**Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3**· \* **Data compared to the previous version altered.***

---

AU

---

Reviewed 09/11/2020 in accordance with Safe Work Australia Preparation of safety data sheets for hazardous chemicals Code of Practice July 2020 section 2.4. All information contained remains the same as previous version 9/10/2014. Valid 21/10/2025.